ELSEVIER

Journal of Materials Processing Technology 169 (2005) 503–504

Journal of
Materials
Processing
Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 169

Abdullah, J., 54
Abrão, A.M., 388
Acevedo, D., 270
Aghaie-Khafri, M., 38
Ahmad, F., 263
Al-Ameeri, S., 150
Aldinger, F., 179
Andersson, A., 352
Antonio, C., 234
Arbak, M., 72
Asmussen, Jr., J., 26
Ávila, R.F., 388

Baïri, A., 89
Baldacim, S.A., 445
Banaszek, G., 437
Bassim, M.N., 150
Bataineh, M., 26
Bernhart, G., 281
Bhattacharyya, B., 485
Boccaccini, A.R., 270
Bochniak, W., 44
Brabie, G., 401
Braga, A.F.B., 16, 21
Bull, S.J., 357
Buyuksagis, I.S., 258

Cameron, D.C., 219
Campos, H.B., 1
Cetlin, P.R., 1
Chakravartty, J.K., 199
Chen, T.-C., 214
Chu, C.L., 103
Chung, C.Y., 103
Colegrove, P.A., 320

Dargusch, M., 223
Darling, R.B., 214
Davidson, C., 223
Davim, J.P., 388
Deam, R.T., 234
Dericioglu, A.F., 270
Donald, B.J.M., 476
dos Santos, J.F., 452
Dour, G., 223
Durmuşoğlu, M.B., 337

El-Safty, M.F., 328
El-Taweel, T.A., 328
Emamy, M., 382
Erzurumlu, T., 314
Esche, S.K., 493
Espinoza, R.A., 62

Faustino, M., 388
Ferreira, J.M.F., 206
Findik, F., 127
Flemings, M.C., 143

Gao, C.Y., 281
Ghahramani, A., 94
Goktan, R.M., 258
Gras, C., 156
Grzesik, W., 364
Guangchun, W., 108
Gülenç, B., 127, 67
Guoqun, Z., 108

Haghayeghi, R., 382
Halvaee, A., 382
Hanada, S., 9
Hashmi, M.S.J., 219, 476
Hewidy, M.S., 328
Hilditch, T.B., 184, 192
Hodgson, P.D., 184, 192
Huang, F.-Y., 418
Huétink, J., 115
Hunt, J.D., 156

Jana, C., 270
Jappes, J.T.W., 308
Jayakumar, T., 396
Jing, G., 108

Kahraman, C., 337
Kahraman, N., 67, 127
Kansal, H.K., 427
Kapoor, R., 199
Khan, Z.A., 54
Khatami, S., 26
Kitawaki, T., 5
Kiuchi, M., 5
Kodric, T., 94
Köksal, N.S., 409
Komori, K., 249
Korbel, A., 44
Kulak, O., 337
Kumar, P., 427
Kuromatsu, R., 5
Kurtaran, H., 314

Laraqi, N., 89
Lee, B.H., 54
Leng, Y., 173
Li, Q., 150
Lima, J.G., 388
Lin, H., 357
Lin, P.H., 103
Lindemann, A., 466
Lingbeek, R., 115
Liu, H.-S., 418
Liu, N., 179
López-Hirata, V.M., 346
Lours, P., 281
Lu, X., 173

Mahmudi, R., 38
Majewski, P., 179
Malapati, M., 485
Marszowski, K., 44
Matsumoto, H., 9
McCartney, W., 476
McNamara, B.P., 219
Mei, P.R., 16, 21
Meredith, M., 156
Montiglio, R.C., 62
Morshed, M.M., 219
Moslemi Naeini, H., 5
Mukhopadhyay, A., 164
Munda, J., 485

Nair, P.K., 308
Nef, A., 223

Odeshi, A.G., 150
Ohnimus, S., 115
Olhero, S.M., 206
Otubo, J., 16, 21
Ozcelik, B., 314
Özhan, F., 72

Pal, D., 199
Palma, R.H., 62
Paniagua-Mercado, A.M., 346
Park, J.-J., 299
Park, N.-J., 299
Pertence, A.E.M., 1
Petzoldt, M., 115
Pires, J.C.S., 16, 21
Ponnambalam, P., 372
Prakasan, K., 372

Elsevier B.V.
doi:10.1016/S0924-0136(05)00856-3

Pürçek, G., 242

Qiu, K.-H., 418
Quintino, L., 452

Raj, B., 396
Rajesh, P.K., 372
Ramakrishnan, N., 372
Ramamoorthy, B., 308
Rao, B.P.C., 396

Santos, C., 445
Santos, D.M.C., 1
Saucedo Muñoz, M.L., 346
Schmidt, J., 466
Sepúlveda, A.H., 62
Shercliff, H.R., 320
Shi, M., 179
Shim, H., 134
Sikdar, S., 164
Silva, C.R.M., 445
Silva, O.M.M., 445
Singh, S., 427
Sreejith, P.S., 414
Strecker, K., 445
Sun, D.X., 83
Suzuki, M., 249
Szota, P., 437

Taylor, P.M., 357
Tekkaya, A.E., 72

Ünlü, B.S., 409
Uzkut, M., 409

Varvani-Farahani, A., 94
Vasudevan, M., 396
Venkatraman, B., 396
Vilaça, P., 452

Wanat, T., 364
Wang, C., 179
Wang, S.D., 103
Wannasin, J., 143
Watanabe, S., 9
Weiher, J., 115

Xu, Y.D., 179

Yan, B.-H., 418
Yang, D.Y., 134
Yu, Q., 493
Yuan, Y.P., 179

Zeren, M., 292
Zhao, Y.Y., 83
Zoqui, E.J., 382

ELSEVIER

Journal of Materials Processing Technology 169 (2005) 505–512

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volumes 169

A356.1
An investigation on semi-solid Al–7Si–0.3Mg alloy produced by mechanical stirring, 382
AA3105
Microstructure and texture evolution after twin roll casting and subsequent cold rolling of Al–Mg–Mn aluminium alloys, 156
Ablation threshold
Parametric studies on pulsed near ultraviolet frequency tripled Nd:YAG laser micromachining of sapphire and silicon, 214
Acicular ferrite
Influence of the chemical composition of flux on the microstructure and tensile properties of submerged-arc welds, 346
Acoustic emission
Artificial neural network modelling for evaluating austenitic stainless steel and Zircaloy-2 welds, 396
Adiabatic shear bands
Dynamic shear band propagation and failure in AISI 4340 steel, 150
Aging time
Effect of copper and silicon content on mechanical properties in Al–Cu–Si–Mg alloys, 292
Air cooling
ACMOD-2D—A heat transfer model for the simulation of the cooling of wire rod, 466
AISI 4340 steel
Dynamic shear band propagation and failure in AISI 4340 steel, 150
Al/NaCl powders
Simulation of thermal diffusivity of Al/NaCl powder compacts in producing Al foams by the sintering and dissolution process, 83
AlN
Rheological characterisation of water-based AlN slurries for the tape casting process, 206
Al–Cu–Si–Mg alloys
Effect of copper and silicon content on mechanical properties in Al–Cu–Si–Mg alloys, 292
Aluminium alloys
Microstructure and texture evolution after twin roll casting and subsequent cold rolling of Al–Mg–Mn aluminium alloys, 156
Aluminum alloy
The effect of preheating on the formability of an Al–Fe–Si alloy sheet, 38
Development of the sheared edge in the trimming of steel and light metal sheet. Part 2—Mechanisms and modeling, 192
Aluminum
Influence of orthogonal shear on texture and *R* value in aluminum sheet, 299
Analytical modeling
*i*STIR—Analytical thermal model for friction stir welding, 452
Aqueous processing
Rheological characterisation of water-based AlN slurries for the tape casting process, 206
Artificial neural network
Use of artificial neural networks to predict the deformation behavior of Zr–2.5Nb–0.5Cu, 199
Warpage optimization of a bus ceiling lamp base using neural network model and genetic algorithm, 314
Artificial neural network modelling for evaluating austenitic stainless steel and Zircaloy-2 welds, 396
Austenitic stainless steel welds
Artificial neural network modelling for evaluating austenitic stainless steel and Zircaloy-2 welds, 396
Axial stresses
An analysis of the state of stresses generated by torsion in twisted non-circular bars, 401
Axiomatic design
Fuzzy multi-attribute equipment selection based on information axiom, 337

Bearing ring
Comparison of various preforms for hot forging of bearing rings, 72
Biomedical analysis
A study on the characterization of high nickel alloy micro-holes using micro-EDM and their applications, 418
Blacksmith forging
A comprehensive numerical analysis of the effect of relative feed during the operation of stretch forging of large ingots in profiled anvils, 437
Brazing
The determination of element diffusion in connecting SAE 1040/WC material by brazing, 409
Brittle
Machining force studies on ductile machining of silicon nitride, 414
Burr
Development of the sheared edge in the trimming of steel and light metal sheet. Part 1—Experimental observations, 184

Centrifugal casting
Fabrication of metal matrix composites by a high-pressure centrifugal infiltration process, 143
Ceramic fibres
Processing and characterisation of model optomechanical composites in the system sapphire fibre/borosilicate glass matrix, 270
Characterization
Development and characterization by HRTEM of hot-pressed Si_3N_4–$SiC_{(w)}$ composites, 445
Cladding
Microstructural and mechanical properties of Cu–Ti plates bonded through explosive welding process, 67
Coating efficiency
A study on the influence of process parameters on efficiency and crystallinity of electroless Ni–P deposits, 308

Elsevier B.V.
doi:10.1016/S0924-0136(05)00857-5

Coiling temperature (CT)
Implementation of an on-line run-out table model in a hot strip mill, 164
Cold roll forming
Design method of rolls for reshaping processes of pipes with pentagonal cross-sections, 5
Cold rolling
Fabrication of pure Al/Mg–Li alloy clad plate and its mechanical properties, 9
Microstructure and texture evolution after twin roll casting and subsequent cold rolling of Al–Mg–Mn aluminium alloys, 156
Composite fabrication method
Fabrication of metal matrix composites by a high-pressure centrifugal infiltration process, 143
Composite materials
Processing and characterisation of model optomechanical composites in the system sapphire fibre/borosilicate glass matrix, 270
Contact
Heat transfer across a solid–solid interface obtained by machining in a lathe, 89
Continuous casting
Microstructure and texture evolution after twin roll casting and subsequent cold rolling of Al–Mg–Mn aluminium alloys, 156
Cooling
Implementation of an on-line run-out table model in a hot strip mill, 164
Copper alloys
Performance of Cu–TiC alloy electrodes developed by reaction milling for electrical-resistance welding, 62
Copper
Microstructural and mechanical properties of Cu–Ti plates bonded through explosive welding process, 67
Corrosion
Joining of titanium/stainless steel by explosive welding and effect on interface, 127
Critical plane
A method of fatigue life prediction in notched and un-notched components, 94
Crystallite size
A study on the influence of process parameters on efficiency and crystallinity of electroless Ni–P deposits, 308
Cu content
Effect of copper and silicon content on mechanical properties in Al–Cu–Si–Mg alloys, 292
Cutting forces
Hard turning: AISI 4340 high strength low alloy steel and AISI D2 cold work tool steel, 388
Cutting speed
Machining force studies on ductile machining of silicon nitride, 414
CVD diamond
A comparative study of the effects of reactor geometry on the quality of CVD diamond films deposited on silicon substrates with mixture of CH_4/H_2 gas flow, 26

3D models
The development of 3D models through rapid prototyping concepts, 1
Deep drawing
The development of a finite elements based springback compensation tool for sheet metal products, 115
Deformation path
Theoretical and practical aspects of the production of thin-walled tubes by the KOBO method, 44
Depth of cut
Machining force studies on ductile machining of silicon nitride, 414
Design
Comparative performance of a flexible fixation implant to a rigid implant in static and repetitive incremental loading, 476
Die casting
Development of a non-intrusive heat transfer coefficient gauge and its application to high pressure die casting. Effect of the process parameters, 223
Direct ceramic inkjet printing
Studies on preparation of ceramic inks and simulation of drop formation and spread in direct ceramic inkjet printing, 372
Dispersant
Studies on preparation of ceramic inks and simulation of drop formation and spread in direct ceramic inkjet printing, 372
Dispersion-strengthening
Performance of Cu–TiC alloy electrodes developed by reaction milling for electrical-resistance welding, 62
Drop formation
Studies on preparation of ceramic inks and simulation of drop formation and spread in direct ceramic inkjet printing, 372
Ductile
Machining force studies on ductile machining of silicon nitride, 414

Eddy current
Artificial neural network modelling for evaluating austenitic stainless steel and Zircaloy-2 welds, 396
Electrochemical micromachining
Electrochemical micromachining of titanium surfaces for biomedical applications, 173
Electrodes
Performance of Cu–TiC alloy electrodes developed by reaction milling for electrical-resistance welding, 62
Electroless nickel
A study on the influence of process parameters on efficiency and crystallinity of electroless Ni–P deposits, 308
Electron beam melting
The purification of metallurgical grade silicon by electron beam melting, 21
Element diffusion
The determination of element diffusion in connecting SAE 1040/WC material by brazing, 409
Elementary solids
The development of 3D models through rapid prototyping concepts, 1
EMM
Experimental study on electrochemical micromachining, 485
Equal-channel angular pressing
Improvement of mechanical properties for Zn–Al alloys using equal-channel angular pressing, 242
Equipment selection
Fuzzy multi-attribute equipment selection based on information axiom, 337
Explosive ratio
Joining of titanium/stainless steel by explosive welding and effect on interface, 127
Explosive welding
Microstructural and mechanical properties of Cu–Ti plates bonded through explosive welding process, 67
Joining of titanium/stainless steel by explosive welding and effect on interface, 127

Fatigue damage
A method of fatigue life prediction in notched and un-notched components, 94
FEM
A photo-plastic experimental study on deformation of rotary forging a ring workpiece, 108

Ferrite number
Artificial neural network modelling for evaluating austenitic stainless steel and Zircaloy-2 welds, 396
Field modelling
Comparison of linear and non-linear sweep rate regimes in variable frequency microwave technique for uniform heating in materials processing, 234
Film morphology
A comparative study of the effects of reactor geometry on the quality of CVD diamond films deposited on silicon substrates with mixture of CH_4/H_2 gas flow, 26
Finish rolling temperature (FRT)
Implementation of an on-line run-out table model in a hot strip mill, 164
Finite element method
Comparison of various preforms for hot forging of bearing rings, 72
Warpage optimization of a bus ceiling lamp base using neural network model and genetic algorithm, 314
Numerical and experimental evaluation of springback in a front side member, 352
Finite Element Method
A multi-scale approach for microstructure prediction in thermomechanical processing of metals, 493
Finite element modeling
Development of the sheared edge in the trimming of steel and light metal sheet. Part 2—Mechanisms and modeling, 192
Finite element modelling
Simulation of the deformation and stress distribution within a flexible material pressed by a pinch gripper, 357
Finite element simulation
Thermomechanical stress analysis of superplastic forming tools, 281
Finite elements
The development of a finite elements based springback compensation tool for sheet metal products, 115
Finite-difference method
Simulation of deformation and temperature in press roll piercing, 249
Finite-element method
Simulation of deformation and temperature in press roll piercing, 249
Flexibe ABS
Optimization of rapid prototyping parameters for production of flexible ABS object, 54
Flexible material handling
Simulation of the deformation and stress distribution within a flexible material pressed by a pinch gripper, 357
Flow
3-Dimensional CFD modelling of flow round a threaded friction stir welding tool profile, 320
Flux composition
Influence of the chemical composition of flux on the microstructure and tensile properties of submerged-arc welds, 346
Formability
Fabrication of pure Al/Mg–Li alloy clad plate and its mechanical properties, 9
The effect of preheating on the formability of an Al–Fe–Si alloy sheet, 38
Forming limit diagrams
The effect of preheating on the formability of an Al–Fe–Si alloy sheet, 38
Forming tools
Thermomechanical stress analysis of superplastic forming tools, 281
Fracture fixation
Comparative performance of a flexible fixation implant to a rigid implant in static and repetitive incremental loading, 476
Fracture surfaces
An investigation on semi-solid Al–7Si–0.3Mg alloy produced by mechanical stirring, 382
Frequency sweeping
Comparison of linear and non-linear sweep rate regimes in variable frequency microwave technique for uniform heating in materials processing, 234
Friction stir welding
*i*STIR—Analytical thermal model for friction stir welding, 452
Friction
3-Dimensional CFD modelling of flow round a threaded friction stir welding tool profile, 320
Fused deposition modeling
Optimization of rapid prototyping parameters for production of flexible ABS object, 54
Fuzzy sets
Fuzzy multi-attribute equipment selection based on information axiom, 337

Genetic algorithm
Warpage optimization of a bus ceiling lamp base using neural network model and genetic algorithm, 314
Glass matrix
Processing and characterisation of model optomechanical composites in the system sapphire fibre/borosilicate glass matrix, 270
Grain growth
A multi-scale approach for microstructure prediction in thermomechanical processing of metals, 493
Grippers
Simulation of the deformation and stress distribution within a flexible material pressed by a pinch gripper, 357
Groove pressing
Influence of orthogonal shear on texture and *R* value in aluminum sheet, 299

Hard machining
Comparative assessment of surface roughness produced by hard machining with mixed ceramic tools including 2D and 3D analysis, 364
Hard turning
Hard turning: AISI 4340 high strength low alloy steel and AISI D2 cold work tool steel, 388
Heat flux density
Development of a non-intrusive heat transfer coefficient gauge and its application to high pressure die casting. Effect of the process parameters, 223
Heat input
*i*STIR—Analytical thermal model for friction stir welding, 452
Heat transfer coefficient
Development of a non-intrusive heat transfer coefficient gauge and its application to high pressure die casting. Effect of the process parameters, 223
Heat transfer
Heat transfer across a solid–solid interface obtained by machining in a lathe, 89
Development of a non-intrusive heat transfer coefficient gauge and its application to high pressure die casting. Effect of the process parameters, 223
ACMOD-2D—A heat transfer model for the simulation of the cooling of wire rod, 466
Heat treatment
An investigation on semi-solid Al–7Si–0.3Mg alloy produced by mechanical stirring, 382
High nickel alloy
A study on the characterization of high nickel alloy micro-holes using micro-EDM and their applications, 418

High pressure die casting
Development of a non-intrusive heat transfer coefficient gauge and its application to high pressure die casting. Effect of the process parameters, 223
Homogenization
The effect of preheating on the formability of an Al–Fe–Si alloy sheet, 38
Hot deformation
Use of artificial neural networks to predict the deformation behavior of Zr–2.5Nb–0.5Cu, 199
Hot forging
Comparison of various preforms for hot forging of bearing rings, 72
Hot strip mill (HSM)
Implementation of an on-line run-out table model in a hot strip mill, 164
Hot-pressing
Processing and characterisation of model optomechanical composites in the system sapphire fibre/borosilicate glass matrix, 270
Development and characterization by HRTEM of hot-pressed Si_3N_4–$SiC_{(w)}$ composites, 445

Inconel 601
Modelling the machining parameters of wire electrical discharge machining of Inconel 601 using RSM, 328
Infiltration
Fabrication of metal matrix composites by a high-pressure centrifugal infiltration process, 143
Information
Fuzzy multi-attribute equipment selection based on information axiom, 337
Instrumented die
Development of a non-intrusive heat transfer coefficient gauge and its application to high pressure die casting. Effect of the process parameters, 223
Interface
Microstructural and mechanical properties of Cu–Ti plates bonded through explosive welding process, 67
Heat transfer across a solid–solid interface obtained by machining in a lathe, 89
Joining of titanium/stainless steel by explosive welding and effect on interface, 127

Jet-EMM
Electrochemical micromachining of titanium surfaces for biomedical applications, 173
Joint interface
Fabrication of pure Al/Mg–Li alloy clad plate and its mechanical properties, 9

KOBO forming
Theoretical and practical aspects of the production of thin-walled tubes by the KOBO method, 44

Laser micromachining
Parametric studies on pulsed near ultraviolet frequency tripled Nd:YAG laser micromachining of sapphire and silicon, 214
Lathing
Heat transfer across a solid–solid interface obtained by machining in a lathe, 89
Light metals
Development of the sheared edge in the trimming of steel and light metal sheet. Part 1—Experimental observations, 184
LSGM foils
Preparation of electrolyte foils $La_{0.85}Sr_{0.15}Ga_{0.85}Mg_{0.15}O_{2.85}$ (LSGM) by means of tape casting, 179
LSGM powders
Preparation of electrolyte foils $La_{0.85}Sr_{0.15}Ga_{0.85}Mg_{0.15}O_{2.85}$ (LSGM) by means of tape casting, 179

Machining force
Machining force studies on ductile machining of silicon nitride, 414
Machining parameters
Experimental study on electrochemical micromachining, 485
Machining
Heat transfer across a solid–solid interface obtained by machining in a lathe, 89
Marble sawing
Investigation of marble machining performance using an instrumented block-cutter, 258
Marble
Investigation of marble machining performance using an instrumented block-cutter, 258
Material removal rate
Parametric optimization of powder mixed electrical discharge machining by response surface methodology, 427
Mechanical alloying
Performance of Cu–TiC alloy electrodes developed by reaction milling for electrical-resistance welding, 62
Mechanical properties
Microstructural and mechanical properties of Cu–Ti plates bonded through explosive welding process, 67
Fabrication and properties of porous NiTi shape memory alloys for heavy load-bearing medical applications, 103
Improvement of mechanical properties for Zn–Al alloys using equal-channel angular pressing, 242
Processing and characterisation of model optomechanical composites in the system sapphire fibre/borosilicate glass matrix, 270
Effect of copper and silicon content on mechanical properties in Al–Cu–Si–Mg alloys, 292
MEMS
A study on the characterization of high nickel alloy micro-holes using micro-EDM and their applications, 418
Mesoscopic models
A multi-scale approach for microstructure prediction in thermomechanical processing of metals, 493
Metal forming
Simulation of deformation and temperature in press roll piercing, 249
Metal matrix composites (MMCs)
Fabrication of metal matrix composites by a high-pressure centrifugal infiltration process, 143
Metallurgical grade silicon
The purification of metallurgical grade silicon by electron beam melting, 21
Micro-EDM
A study on the characterization of high nickel alloy micro-holes using micro-EDM and their applications, 418
Micro-hole
A study on the characterization of high nickel alloy micro-holes using micro-EDM and their applications, 418
Micromachining
Experimental study on electrochemical micromachining, 485
Microprobe analysis
The determination of element diffusion in connecting SAE 1040/WC material by brazing, 409
Microstrain
A study on the influence of process parameters on efficiency and crystallinity of electroless Ni–P deposits, 308
Microstructure
A multi-scale approach for microstructure prediction in thermomechanical processing of metals, 493

Micro-tool
A study on the characterization of high nickel alloy micro-holes using micro-EDM and their applications, 418
Microwave processing
Comparison of linear and non-linear sweep rate regimes in variable frequency microwave technique for uniform heating in materials processing, 234
Mixed ceramic tools
Comparative assessment of surface roughness produced by hard machining with mixed ceramic tools including 2D and 3D analysis, 364
Modelling
3-Dimensional CFD modelling of flow round a threaded friction stir welding tool profile, 320
ACMOD-2D—A heat transfer model for the simulation of the cooling of wire rod, 466
Multi-attribute
Fuzzy multi-attribute equipment selection based on information axiom, 337
Multiple Live Feed Molding device
Orientation of short fibers in powder injection molded aluminum matrix composites, 263

Natural stones
Investigation of marble machining performance using an instrumented block-cutter, 258
Nickel recovery efficiency
A study on the influence of process parameters on efficiency and crystallinity of electroless Ni–P deposits, 308
Non-circular bars
An analysis of the state of stresses generated by torsion in twisted non-circular bars, 401
Non-circular pipe
Design method of rolls for reshaping processes of pipes with pentagonal cross-sections, 5
Notched components
A method of fatigue life prediction in notched and un-notched components, 94
Numerical analysis
Simulation of deformation and temperature in press roll piercing, 249
Numerical simulation
Design method of rolls for reshaping processes of pipes with pentagonal cross-sections, 5

Objective function
A comprehensive numerical analysis of the effect of relative feed during the operation of stretch forging of large ingots in profiled anvils, 437
On-line
Implementation of an on-line run-out table model in a hot strip mill, 164
Open-loop control
A simple method to determine pressure curve for sheet hydroforming and experimental verification, 134
Optical band gap
Optical properties of DLC films deposited by the saddle field fast atom neutral beam source, 219
Optical properties
Processing and characterisation of model optomechanical composites in the system sapphire fibre/borosilicate glass matrix, 270
Optimal pressure curve
A simple method to determine pressure curve for sheet hydroforming and experimental verification, 134
Optimization
Warpage optimization of a bus ceiling lamp base using neural network model and genetic algorithm, 314
Orthopaedic
Comparative performance of a flexible fixation implant to a rigid implant in static and repetitive incremental loading, 476

Phase transformations
Fabrication and properties of porous NiTi shape memory alloys for heavy load-bearing medical applications, 103
Photo-plastic experiment
A photo-plastic experimental study on deformation of rotary forging a ring workpiece, 108
Pierce rolling
Simulation of deformation and temperature in press roll piercing, 249
Plastic injection molding
Warpage optimization of a bus ceiling lamp base using neural network model and genetic algorithm, 314
Porous material
Fabrication and properties of porous NiTi shape memory alloys for heavy load-bearing medical applications, 103
Powder injection molded aluminum matrix composites
Orientation of short fibers in powder injection molded aluminum matrix composites, 263
Powder mixed EDM
Parametric optimization of powder mixed electrical discharge machining by response surface methodology, 427
Preform
Comparison of various preforms for hot forging of bearing rings, 72
Process optimization
Parametric optimization of powder mixed electrical discharge machining by response surface methodology, 427
Profiled anvils
A comprehensive numerical analysis of the effect of relative feed during the operation of stretch forging of large ingots in profiled anvils, 437
Pure Al/Mg–Li alloy clad plate
Fabrication of pure Al/Mg–Li alloy clad plate and its mechanical properties, 9

Quality
Artificial neural network modelling for evaluating austenitic stainless steel and Zircaloy-2 welds, 396

R value
Influence of orthogonal shear on texture and *R* value in aluminum sheet, 299
Rake angle
Machining force studies on ductile machining of silicon nitride, 414
Rapid prototyping
The development of 3D models through rapid prototyping concepts, 1
Optimization of rapid prototyping parameters for production of flexible ABS object, 54
Reaction milling
Performance of Cu–TiC alloy electrodes developed by reaction milling for electrical-resistance welding, 62
Reaction phases
Fabrication of pure Al/Mg–Li alloy clad plate and its mechanical properties, 9
Reactor geometry
A comparative study of the effects of reactor geometry on the quality of CVD diamond films deposited on silicon substrates with mixture of CH_4/H_2 gas flow, 26
Recrystallization
A multi-scale approach for microstructure prediction in thermomechanical processing of metals, 493

Relative feed
A comprehensive numerical analysis of the effect of relative feed during the operation of stretch forging of large ingots in profiled anvils, 437
Reshaping process
Design method of rolls for reshaping processes of pipes with pentagonal cross-sections, 5
Response surface methodology (RSM)
Modelling the machining parameters of wire electrical discharge machining of Inconel 601 using RSM, 328
Rheology
Rheological characterisation of water-based AlN slurries for the tape casting process, 206
Ring workpiece
A photo-plastic experimental study on deformation of rotary forging a ring workpiece, 108
Roll design
Design method of rolls for reshaping processes of pipes with pentagonal cross-sections, 5
Rolling mill
ACMOD-2D—A heat transfer model for the simulation of the cooling of wire rod, 466
Rollover
Development of the sheared edge in the trimming of steel and light metal sheet. Part 1—Experimental observations, 184
Rotary forging
A photo-plastic experimental study on deformation of rotary forging a ring workpiece, 108
Run-out table (ROT)
Implementation of an on-line run-out table model in a hot strip mill, 164

Saddle field source
Optical properties of DLC films deposited by the saddle field fast atom neutral beam source, 219
Sapphire
Parametric studies on pulsed near ultraviolet frequency tripled Nd:YAG laser micromachining of sapphire and silicon, 214
SAW process
Influence of the chemical composition of flux on the microstructure and tensile properties of submerged-arc welds, 346
Sediment packing density
Studies on preparation of ceramic inks and simulation of drop formation and spread in direct ceramic inkjet printing, 372
Self-propagating high-temperature synthesis (SHS)
Fabrication and properties of porous NiTi shape memory alloys for heavy load-bearing medical applications, 103
Semi-solid
An investigation on semi-solid Al–7Si–0.3Mg alloy produced by mechanical stirring, 382
Shape memory alloys (SMA)
Fabrication and properties of porous NiTi shape memory alloys for heavy load-bearing medical applications, 103
Shear banding
Theoretical and practical aspects of the production of thin-walled tubes by the KOBO method, 44
Shear deformation
Influence of orthogonal shear on texture and R value in aluminum sheet, 299
Shear failure
Dynamic shear band propagation and failure in AISI 4340 steel, 150
Shear/normal fatigue properties
A method of fatigue life prediction in notched and un-notched components, 94
Shearing stresses
An analysis of the state of stresses generated by torsion in twisted non-circular bars, 401
Shearing
Development of the sheared edge in the trimming of steel and light metal sheet. Part 1—Experimental observations, 184
Development of the sheared edge in the trimming of steel and light metal sheet. Part 2—Mechanisms and modeling, 192
Sheet hydro-forming
A simple method to determine pressure curve for sheet hydro-forming and experimental verification, 134
Sheet-metal-forming
Numerical and experimental evaluation of springback in a front side member, 352
Short fibers
Orientation of short fibers in powder injection molded aluminum matrix composites, 263
Si content
Effect of copper and silicon content on mechanical properties in Al–Cu–Si–Mg alloys, 292
Si_3N_4–$SiC_{(w)}$ ceramics composites
Development and characterization by HRTEM of hot-pressed Si_3N_4–$SiC_{(w)}$ composites, 445
Silicon purification
The purification of metallurgical grade silicon by electron beam melting, 21
Silicon
Parametric studies on pulsed near ultraviolet frequency tripled Nd:YAG laser micromachining of sapphire and silicon, 214
Simulation
Simulation of thermal diffusivity of Al/NaCl powder compacts in producing Al foams by the sintering and dissolution process, 83
Numerical and experimental evaluation of springback in a front side member, 352
Studies on preparation of ceramic inks and simulation of drop formation and spread in direct ceramic inkjet printing, 372
Sintering
Simulation of thermal diffusivity of Al/NaCl powder compacts in producing Al foams by the sintering and dissolution process, 83
Processing and characterisation of model optomechanical composites in the system sapphire fibre/borosilicate glass matrix, 270
Slurry
Preparation of electrolyte foils $La_{0.85}Sr_{0.15}Ga_{0.85}Mg_{0.15}O_{2.85}$ (LSGM) by means of tape casting, 179
Solid electrolyte
Preparation of electrolyte foils $La_{0.85}Sr_{0.15}Ga_{0.85}Mg_{0.15}O_{2.85}$ (LSGM) by means of tape casting, 179
Solid loading concentration
Studies on preparation of ceramic inks and simulation of drop formation and spread in direct ceramic inkjet printing, 372
Specific energy
Investigation of marble machining performance using an instrumented block-cutter, 258
Split Hopkinson pressure bar
Dynamic shear band propagation and failure in AISI 4340 steel, 150
Springback compensation
The development of a finite elements based springback compensation tool for sheet metal products, 115
Springback
Numerical and experimental evaluation of springback in a front side member, 352
State of stress
An analysis of the state of stresses generated by torsion in twisted non-circular bars, 401
Steel
Development of the sheared edge in the trimming of steel and light metal sheet. Part 1—Experimental observations, 184

Development of the sheared edge in the trimming of steel and light metal sheet. Part 2—Mechanisms and modeling, 192
Stelmor
ACMOD-2D—A heat transfer model for the simulation of the cooling of wire rod, 466
Stir
3-Dimensional CFD modelling of flow round a threaded friction stir welding tool profile, 320
Stone processing
Investigation of marble machining performance using an instrumented block-cutter, 258
Stress analysis
Comparative performance of a flexible fixation implant to a rigid implant in static and repetitive incremental loading, 476
Stress prediction
Use of artificial neural networks to predict the deformation behavior of Zr–2.5Nb–0.5Cu, 199
Structural quality
A comparative study of the effects of reactor geometry on the quality of CVD diamond films deposited on silicon substrates with mixture of CH_4/H_2 gas flow, 26
Superplastic forming process
Thermomechanical stress analysis of superplastic forming tools, 281
Surface roughness
Modelling the machining parameters of wire electrical discharge machining of Inconel 601 using RSM, 328
Comparative assessment of surface roughness produced by hard machining with mixed ceramic tools including 2D and 3D analysis, 364
Hard turning: AISI 4340 high strength low alloy steel and AISI D2 cold work tool steel, 388
Parametric optimization of powder mixed electrical discharge machining by response surface methodology, 427
Surface structure
Comparative assessment of surface roughness produced by hard machining with mixed ceramic tools including 2D and 3D analysis, 364

Taguchi method
Optimization of rapid prototyping parameters for production of flexible ABS object, 54
Tape casting
Preparation of electrolyte foils $La_{0.85}Sr_{0.15}Ga_{0.85}Mg_{0.15}O_{2.85}$ (LSGM) by means of tape casting, 179
Rheological characterisation of water-based AlN slurries for the tape casting process, 206
Temperature measurements
*i*STIR—Analytical thermal model for friction stir welding, 452
Tensile properties
Fabrication of pure Al/Mg–Li alloy clad plate and its mechanical properties, 9
Influence of the chemical composition of flux on the microstructure and tensile properties of submerged-arc welds, 346
Texture
Microstructure and texture evolution after twin roll casting and subsequent cold rolling of Al–Mg–Mn aluminium alloys, 156
Influence of orthogonal shear on texture and *R* value in aluminum sheet, 299
Thermal diffusivity
Simulation of thermal diffusivity of Al/NaCl powder compacts in producing Al foams by the sintering and dissolution process, 83
Thermomechanical analysis
Thermomechanical stress analysis of superplastic forming tools, 281
Thermo-mechanical processing
A multi-scale approach for microstructure prediction in thermo-mechanical processing of metals, 493
Thin-walled tubes
Theoretical and practical aspects of the production of thin-walled tubes by the KOBO method, 44
Threshold pressure
Fabrication of metal matrix composites by a high-pressure centrifugal infiltration process, 143
Titanium
Microstructural and mechanical properties of Cu–Ti plates bonded through explosive welding process, 67
Electrochemical micromachining of titanium surfaces for biomedical applications, 173
Titanium–stainless steel
Joining of titanium/stainless steel by explosive welding and effect on interface, 127
TMEMM
Electrochemical micromachining of titanium surfaces for biomedical applications, 173
Tool wear
Hard turning: AISI 4340 high strength low alloy steel and AISI D2 cold work tool steel, 388
Torsion
An analysis of the state of stresses generated by torsion in twisted non-circular bars, 401
Toughening mechanisms
Development and characterization by HRTEM of hot-pressed Si_3N_4–$SiC_{(w)}$ composites, 445
Trimming
Development of the sheared edge in the trimming of steel and light metal sheet. Part 1—Experimental observations, 184
Development of the sheared edge in the trimming of steel and light metal sheet. Part 2—Mechanisms and modeling, 192

Ultraviolet laser
Parametric studies on pulsed near ultraviolet frequency tripled Nd:YAG laser micromachining of sapphire and silicon, 214
Uniform heating
Comparison of linear and non-linear sweep rate regimes in variable frequency microwave technique for uniform heating in materials processing, 234
Unit useful work
A comprehensive numerical analysis of the effect of relative feed during the operation of stretch forging of large ingots in profiled anvils, 437
UV absorption
Optical properties of DLC films deposited by the saddle field fast atom neutral beam source, 219

Variable frequency microwave (VFM)
Comparison of linear and non-linear sweep rate regimes in variable frequency microwave technique for uniform heating in materials processing, 234

Warpage
Warpage optimization of a bus ceiling lamp base using neural network model and genetic algorithm, 314
Weld defects
Artificial neural network modelling for evaluating austenitic stainless steel and Zircaloy-2 welds, 396
Weld
3-Dimensional CFD modelling of flow round a threaded friction stir welding tool profile, 320
Welding
Performance of Cu–TiC alloy electrodes developed by reaction milling for electrical-resistance welding, 62

Wire electrical discharge machining (WEDM)
Modelling the machining parameters of wire electrical discharge machining of Inconel 601 using RSM, 328
Wire rod
ACMOD-2D—A heat transfer model for the simulation of the cooling of wire rod, 466
Work of deformation
A comprehensive numerical analysis of the effect of relative feed during the operation of stretch forging of large ingots in profiled anvils, 437
Zircaloy-2 welds
Artificial neural network modelling for evaluating austenitic stainless steel and Zircaloy-2 welds, 396
Zirconium alloy
Use of artificial neural networks to predict the deformation behavior of Zr–2.5Nb–0.5Cu, 199
Zn–Al alloys
Improvement of mechanical properties for Zn–Al alloys using equal-channel angular pressing, 242